




# CONSOLIDATED BEARING trading LTD



3MM9324WI QUH Bearing 2D drawings and 3D CAD models

4.724 Inch | 120 Millimeter x 6.496 Inch | 165 Millimeter x 3.465 Inch | 88 Millimeter TIMKEN 3MM9324WI QUH Precision Ball Bearings

Bearing No. 3MM9324WI QUH

|                      |  |
|----------------------|--|
| Category             | Precision Ball Bearings  |
| Inventory            | 0.0  |
| Manufacturer Name    | TIMKEN   |
| Minimum Buy Quantity | N/A  |
| Weight               | 4.98   |
| EAN                  | 0087796343139  |
| Product Group        | B04270   |
| Enclosure            | Open   |
| Precision Class      | ABEC 7   ISO P4  |
| Material - Ball      | Steel  |
| Number of Bearings   | 4 (1 Quadruplex Set)   |
| Contact Angle        | 25 Degree  |
| Preload              | Heavy  |
| Raceway Style        | 1 Rib Outer Ring   |
| Cage Material        | Phenolic   |
| Rolling Element      | Ball Bearing   |
| Mounting Arrangement | Quadruplex-Universal   |
| Flush Ground         | Yes  |
| Inch - Metric        | Metric   |
| Other Features       | Single Row   Angular Contact   Super High Precision  |
| Long Description     | 120MM Bore; 165MM Outside Diameter; 88MM Width; Open Enclosure; ABEC 7   ISO P4 Precision; |



## CONSOLIDATED BEARING trading LTD

|                          |   |
|--------------------------|---|
|                          | Steel Ball Material; 4 (1<br>Quadruplex Set) Bearings;<br>25 Degree Contact Angle;<br>Phenolic Cage Material; 1<br>Rib Ou |
| Category                 | Precision Ball Bearings   |
| UNSPSC                   | 31171531  |
| Harmonized Tariff Code   | 8482.10.50.28   |
| Noun                     | Bearing   |
| Keyword String           | Angular Contact Ball  |
| Manufacturer URL         | <a href="http://www.timken.com">http://www.timken.com</a>   |
| Manufacturer Item Number | 3MM9324WI QUH   |
| Weight / LBS             | 10.96   |
| D                        | 6.496 Inch   165 Millimeter   |
| d                        | 4.724 Inch   120 Millimeter   |
| B                        | 3.465 Inch   88 Millimeter  |